

RECOMMENDATIONS

Foliar Applications

Should be diluted so as to apply one gallon of AG-14 Oxywater per acre per application.

Lakes and Lagoons

Spray on surface. Minimum rate of 3ppm. Dilute for application a minimum of 20 parts of fresh water to 1 part of product. Repeat per recommendation of TEP, Inc

Ground

Dilute for application a minimum of 20 parts of fresh water to 1 part of product. Apply 2 gallons to acre. Repeat 15 days later at 1 gallon per acre. Repeat at 45 days at 1 gallon per acre.

Contact TEP, Inc for additional use and material safety.

CAUTION

Keep out of reach of children!

CAUTION

Not Potable

Harmful if swallowed

Avoid contact with skin, eyes or clothing

In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes.

STORE INDOORS IN COOL DRY AREA

Expiration date – One year from date of delivery.
This is a live product in dormancy. Best stored indoors.

Maximum Temperature 100° F/40° C

Minimum Temperature 50° F/10 °C



**Auxiliary Soil & Plant
Substance**

TEP/AG-14

OxyWater

A non-toxic, non-pathogenic suspension
of aerobic life form.

NONPLANT FOOD INGREDIENT

Bacteriological Determinations:

By hetero plate count-45,000 colony forming units/cc	Bacillus Polymyxa Bacillus Sphericus Bacillus Subtilis Bacillus Brevis Flavobacterium Aquatile Pseudomonas Alcaligenes Euglena Ehrenberg Asterococcus Scherffel Phacus Dujardin
---	---

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions which are beyond our control. **TEP, Inc** does not make nor does it authorize any agent or representative to make any warranty, guarantee or representation, expressed or implied, concerning material or the use thereof, except in conformity the statements on this label. Neither **TEP, Inc** nor seller shall be held responsible in any manner for personal injury or property damage or loss resulting to the buyer or to the other person from handling storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling.

Weight per gallon: 8.87 lbs. @68°F

Net Contents: 275 gal. (1,041 L)

Net Weight: 2439.25 lbs. (1106.425 kg)

Manufactured for:

TEP, Inc

10700 Road 30

Madera, CA 93637

559.871.4565

FAX: 559.662.0928